



# SPEEDUM



POLYESTER

FLAT-WEB SLINGS (SAFETY FACTOR-7:1)














❖ **PRODUCT FEATURES:**

- Light weight and flexible
- Wide-bearing surface for stability of load
- Nylon to reduce shock loading or Polyester for better load control
- Engineered for the quality you expect and the safety you need
- No loss of strength from abrasion to cover

❖ **SIZE SPECIFICATION:**

<b>Working Load Limit (Kg)</b>	<b>Approximate Thickness (mm)</b>	<b>Approximate Width (mm)</b>	<b>Eye Length (mm)</b>	<b>Weight (Kg/m)</b>
1000	7.5	30	300	0.22
2000	7.5	60	300	0.45
3000	7.5	90	350	0.71
4000	7.5	120	500	1.02
5000	7.5	150	550	1.21
6000	7.5	180	600	1.42
8000	7.5	240	700	1.89
10000	7.5	300	800	2.34
12000	7.5	300	900	2.98

❖ **TECHNICAL PARAMETERS:**

	LEG MAX.WORKING LOAD LIMIT KG.						2 LEGS MAX. WORKING LOAD LIMIT KG.				3, 4LEGS MAX. WORKING LOAD LIMIT KG.			
<b>Webbing</b>				$7^\circ < \beta < 45^\circ$ 	$45^\circ < \beta < 60^\circ$ 	$7^\circ < \beta < 45^\circ$ 	$45^\circ < \beta < 60^\circ$ 	$7^\circ < \beta < 45^\circ$ 	$7^\circ < \beta < 45^\circ$ 	$45^\circ < \beta < 60^\circ$ 	$45^\circ < \beta < 60^\circ$ 	$7^\circ < \beta < 45^\circ$ 	$45^\circ < \beta < 60^\circ$ 	
<b>Capacity</b>	1.0	0.8	2.0	1.4	1.0	0.7	0.5	1.4	1.12	1.0	0.8	2.1	1.5	
<b>1000Kg</b>	1000	800	2000	1400	1000	700	500	1400	1120	1000	800	2100	1500	
<b>2000Kg</b>	2000	1600	4000	2800	2000	1400	1000	2800	2240	2000	1600	4200	3000	
<b>3000Kg</b>	3000	2400	6000	4200	3000	2100	1500	4200	3360	3000	2400	6300	4500	
<b>4000Kg</b>	4000	3200	8000	5600	4000	2800	2000	5600	4480	4000	3200	8400	6000	
<b>5000Kg</b>	5000	4000	10000	7000	5000	3500	2500	7000	5600	5000	4000	10500	7500	
<b>6000Kg</b>	6000	4800	12000	8400	6000	4200	3000	8400	6720	6000	4800	12600	9000	
<b>8000Kg</b>	8000	6400	16000	11200	8000	5600	4000	11200	8960	8000	6400	16800	12000	

10000Kg	10000	8000	20000	14000	10000	7000	5000	14000	11200	10000	8000	21000	15000
12000Kg	12000	9600	24000	16800	12000	8400	6000	16800	13440	12000	9600	25200	18000
15000Kg	15000	12000	30000	21000	15000	10500	7500	21000	16800	15000	12000	31500	22500
20000Kg	20000	16000	40000	28000	20000	14000	10000	28000	22400	20000	16000	42000	30000
25000Kg	25000	20000	50000	35000	25000	17500	12500	35000	28000	25000	20000	52500	37500
30000Kg	30000	24000	60000	42000	30000	21000	15000	42000	33600	30000	24000	63000	45000
40000Kg	40000	32000	80000	56000	40000	28000	20000	56000	44800	40000	32000		
50000Kg	50000	40000	100000	70000	50000	35000	25000	70000	56000	50000	40000		
60000Kg	60000	48000	120000	84000	60000	42000	30000	84000	67200	60000	48000		
80000Kg	80000	64000	160000	112000	80000	56000	40000	112000	89600	80000	64000		
100000Kg	100000	80000	200000	140000	100000	70000	50000	140000	112000	100000	80000		
200000Kg	200000	160000	400000	280000	200000	140000	100000	280000	224000	200000	160000		
300000Kg	300000	240000	600000	420000	300000	210000	150000	420000	336000	300000	240000		
400000Kg	400000	320000	800000	560000	400000	280000	200000	560000	448000	400000	320000		
500000Kg	500000	400000	1000000	700000	500000	350000	250000	700000	560000	500000	400000		
600000Kg	600000	480000	1200000	840000	600000	420000	300000	840000	672000	600000	480000		
700000Kg	700000	560000	1400000	980000	700000	490000	350000	980000	784000	700000	560000		
800000Kg	800000	640000	1600000	1120000	800000	560000	400000	1120000	896000	800000	640000		
900000Kg	900000	720000	1800000	1260000	900000	630000	450000	1260000	1008000	900000	720000		
1000000Kg	1000000	800000	2000000	1400000	1000000	700000	500000	1400000	1120000	1000000	800000		

**Head Office :**

53, Commercial Chambers, Masjid Bunder Road,

Mumbai 400 003.

Email : [info@speedrns.com](mailto:info@speedrns.com)

**Factory :**

D-383, T.T.C., M.I.D.C. Turbhe, Navi Mumbai Tel : +9122 2768 2705

Fax : +9122 2768 2704

Email : [rnstools@outlook.com](mailto:rnstools@outlook.com)

Mob : +91 98203 25190

**ESTD : 1964**

**Manufactured by :R.N. SURESH TOOLS CORPN.**